



CMA Testing and Certification Laboratories

廠商會檢定中心

TEST REPORT

Report No : AW0046009(8)
Application No : LW025115(3)
Applicant : ORGANIC MINERAL SOLUTIONS SCIENCES INC.
FLAT 2303, 23/F.,
KODAK HOUSE II,
39 HEALTHY STREET EAST,
NORTH POINT, HONG KONG

Date: 15 Aug 2018


Sample Description : One (1) submitted sample stated to be MANA AMINO.
Lot No. : 180801
Test Part : Liquid inside
Sample Status Upon Receipt : Room Temperature



Photo(s) : Refer to the photo(s) on page 3.
Date Received : 13 Aug 2018.
Test Period : 13 Aug 2018 to 15 Aug 2018.
Test Requested : Physical Test – pH value
Test Method : With reference to CP2005
Test Result : Refer to the result(s) on page 2.

For and on behalf of
CMA Industrial Development Foundation Limited

Authorized Signature : _____


Au Wing Yan, Winnie
Assistant Manager
Food and Pharmaceutical Division

Page 1 of 2



CMA Testing and Certification Laboratories

廠商會檢定中心

TEST REPORT

Report No : AW0046009(8)

Date: 15 Aug 2018

Application No : LW025115(3)

Test Result :

Test Item	Result
Physical Test – pH value	0.00

Note : * The result is an estimated value due to method constraint.

***** End of Report *****